

Package ‘LikertMakeR’

May 19, 2024

Type Package

Title Synthesise and Correlate Rating-Scale Data

Version 0.3.0

Description Synthesise rating-scale data with predefined first & second moments (mean & standard deviation) and, optionally, correlate multiple vectors with predefined correlation matrix. Also generate synthetic rating-scale data with predefined Cronbach's Alpha, or generate rating-scale items from a predefined scale.

License MIT + file LICENSE

URL <https://github.com/WinzarH/LikertMakeR>

BugReports <https://github.com/WinzarH/LikertMakeR/issues>

Depends R (>= 4.2.0)

Imports dplyr, gtools, Rcpp

Suggests knitr, rmarkdown, testthat (>= 3.0.0)

LinkingTo Rcpp, RcppArmadillo

VignetteBuilder knitr

Config/testthat/edition 3

Encoding UTF-8

Language en-GB

RoxygenNote 7.3.1

NeedsCompilation yes

Author Hume Winzar [cre, aut] (<<https://orcid.org/0000-0001-7475-2641>>)

Maintainer Hume Winzar <winzar@gmail.com>

Repository CRAN

Date/Publication 2024-05-19 13:00:06 UTC

R topics documented:

alpha	2
correlateScales	3
eigenvalues	5
lcor	6
lexact	7
lfast	8
makeCorrAlpha	10
makeItems	11
makeItemsScale	13

Index	16
--------------	-----------

alpha	<i>Calculate Cronbach's Alpha from a correlation matrix or dataframe</i>
--------------	--

Description

alpha() calculate Cronbach's Alpha from a given correlation matrix or a given dataframe.

Usage

```
alpha(cormatrix = NULL, data = NULL)
```

Arguments

cormatrix	(real) a square symmetrical matrix with values ranging from -1 to +1 and '1' in the diagonal
data	(real) a dataframe or matrix

Value

a single value

Examples

```
## Sample data frame
df <- data.frame(
  V1 = c(4, 2, 4, 3, 2, 2, 2, 1),
  V2 = c(4, 1, 3, 4, 4, 3, 2, 3),
  V3 = c(4, 1, 3, 5, 4, 1, 4, 2),
  V4 = c(4, 3, 4, 5, 3, 3, 3, 3)
)

## example correlation matrix
corMat <- matrix(
  c(
```

```
  1.00, 0.35, 0.45, 0.70,
  0.35, 1.00, 0.60, 0.55,
  0.45, 0.60, 1.00, 0.65,
  0.70, 0.55, 0.65, 1.00
),
nrow = 4, ncol = 4
)

## apply function examples

alpha(cormatrix = corMat)

alpha(, df)

alpha(corMat, df)
```

correlateScales

Create a dataframe of correlated scales from different dataframes of scale items

Description

`correlateScales()` creates a dataframe of scale items representing correlated constructs, as one might find in a completed questionnaire.

Usage

```
correlateScales(dataframes, scalecors)
```

Arguments

<code>dataframes</code>	a list of 'k' dataframes to be rearranged and combined
<code>scalecors</code>	target correlation matrix - should be a symmetric k*k positive-semi-definite matrix, where 'k' is the number of dataframes

Details

Correlated rating-scale items generally are summed or averaged to create a measure of an "unobservable", or "latent", construct. `correlateScales()` takes several such dataframes of rating-scale items and rearranges their rows so that the scales are correlated according to a predefined correlation matrix. Univariate statistics for each dataframe of rating-scale items do not change, but their correlations with rating-scale items in other dataframes do.

Value

Returns a dataframe whose columns are taken from the starter dataframes and whose summated values are correlated according to a user-specified correlation matrix

Examples

```

## three attitudes and a behavioural intention
n <- 32
lower <- 1
upper <- 5

### attitude #1
cor_1 <- makeCorrAlpha(items = 4, alpha = 0.90)
means_1 <- c(2.5, 2.5, 3.0, 3.5)
sds_1 <- c(0.9, 1.0, 0.9, 1.0)

Att_1 <- makeItems(
  n = n, means = means_1, sds = sds_1,
  lowerbound = rep(lower, 4), upperbound = rep(upper, 4),
  cormatrix = cor_1
)

### attitude #2
cor_2 <- makeCorrAlpha(items = 5, alpha = 0.85)
means_2 <- c(2.5, 2.5, 3.0, 3.0, 3.5)
sds_2 <- c(1.0, 1.0, 0.9, 1.0, 1.5)

Att_2 <- makeItems(
  n = n, means = means_2, sds = sds_2,
  lowerbound = rep(lower, 5), upperbound = rep(upper, 5),
  cormatrix = cor_2
)

### attitude #3
cor_3 <- makeCorrAlpha(items = 6, alpha = 0.75)
means_3 <- c(2.5, 2.5, 3.0, 3.0, 3.5, 3.5)
sds_3 <- c(1.0, 1.5, 1.0, 1.5, 1.0, 1.5)

Att_3 <- makeItems(
  n = n, means = means_3, sds = sds_3,
  lowerbound = rep(lower, 6), upperbound = rep(upper, 6),
  cormatrix = cor_3
)

### behavioural intention
intent <- lfast(n, mean = 3.0, sd = 3, lowerbound = 0, upperbound = 10) |>
  data.frame()
names(intent) <- "int"

```

```
### target scale correlation matrix
scale_cors <- matrix(
  c(
    1.0, 0.6, 0.5, 0.3,
    0.6, 1.0, 0.4, 0.2,
    0.5, 0.4, 1.0, 0.1,
    0.3, 0.2, 0.1, 1.0
  ),
  nrow = 4
)

data_frames <- list("A1" = Att_1, "A2" = Att_2, "A3" = Att_3, "Int" = intent)

### apply the function
my_correlated_scales <- correlateScales(
  dataframes = data_frames,
  scalecors = scale_cors
)
head(my_correlated_scales)
```

eigenvalues

calculate eigenvalues of a correlation matrix with optional scree plot

Description

`eigenvalues()` calculate eigenvalues of a correlation matrix and optionally produces a scree plot.

Usage

```
eigenvalues(cormatrix, scree = FALSE)
```

Arguments

<code>cormatrix</code>	(real, matrix) a correlation matrix
<code>scree</code>	(logical) default = FALSE. If TRUE (or 1), then <code>eigenvalues()</code> produces a scree plot to illustrate the eigenvalues

Value

a vector of eigenvalues

report on positive-definite status of `cormatrix`

Examples

```
## define parameters

correlationMatrix <- matrix(
  c(
    1.00, 0.25, 0.35, 0.40,
    0.25, 1.00, 0.70, 0.75,
    0.35, 0.70, 1.00, 0.80,
    0.40, 0.75, 0.80, 1.00
  ),
  nrow = 4, ncol = 4
)

## apply function

evals <- eigenvalues(cormatrix = correlationMatrix)
evals <- eigenvalues(correlationMatrix, 1)
```

lcor

Rearrange columns in a data-frame to fit a predefined correlation matrix

Description

`lcor_C()` rearranges values in each column of a data-frame so that columns are correlated to match a predefined correlation matrix.

Usage

```
lcor(data, target)
```

Arguments

<code>data</code>	data-frame that is to be rearranged
<code>target</code>	target correlation matrix - should be a symmetric k*k positive-semi-definite matrix

Details

Values in a column do not change, so univariate statistics remain the same.

Value

Returns a dataframe whose column-wise correlations approximate a user-specified correlation matrix

Examples

```
## parameters
n <- 32
lowerbound <- 1
upperbound <- 5
items <- 5

mydat3 <- data.frame(
  x1 = lfast(n, 2.5, 0.75, lowerbound, upperbound, items),
  x2 = lfast(n, 3.0, 1.50, lowerbound, upperbound, items),
  x3 = lfast(n, 3.5, 1.00, lowerbound, upperbound, items)
)

cor(mydat3) |> round(3)

tgt3 <- matrix(
  c(
    1.00, 0.50, 0.75,
    0.50, 1.00, 0.25,
    0.75, 0.25, 1.00
  ),
  nrow = 3, ncol = 3
)

## apply function
new3 <- lcor(mydat3, tgt3)

## test output
cor(new3) |> round(3)
```

lexact

Deprecated. Use `lfast()` instead

Description

lexact is DEPRECATED. Replaced by new version of lfast.

lexact remains as a legacy for earlier package users. It is now just a wrapper for lfast

Previously, lexact used a Differential Evolution (DE) algorithm to find an optimum solution with desired mean and standard deviation, but we found that the updated lfast function is much faster and just as accurate.

Also the package is much less bulky.

Usage

```
lexact(n, mean, sd, lowerbound, upperbound, items = 1)
```

Arguments

<code>n</code>	(positive, int) number of observations to generate
<code>mean</code>	(real) target mean
<code>sd</code>	(real) target standard deviation
<code>lowerbound</code>	(positive, int) lower bound (e.g. '1' for a 1-5 rating scale)
<code>upperbound</code>	(positive, int) upper bound (e.g. '5' for a 1-5 rating scale)
<code>items</code>	(positive, int) number of items in the rating scale. Default = 1

Value

a vector of simulated data approximating user-specified conditions.

Examples

```
x <- lexact(
  n = 256,
  mean = 4.0,
  sd = 1.0,
  lowerbound = 1,
  upperbound = 7,
  items = 6
)
x <- lexact(256, 2, 1.8, 0, 10)
```

`lfast`

Synthesise rating-scale data with predefined mean and standard deviation

Description

`lfast()` applies a simple Evolutionary Algorithm to find a vector that best fits the desired moments.

`lfast()` generates random discrete values from a scaled Beta distribution so the data replicate a rating scale - for example, a 1-5 Likert scale made from 5 items (questions) or 0-10 likelihood-of-purchase scale.

Usage

```
lfast(n, mean, sd, lowerbound, upperbound, items = 1, precision = 0)
```

Arguments

n	(positive, int) number of observations to generate
mean	(real) target mean, between upper and lower bounds
sd	(positive, real) target standard deviation
lowerbound	(positive, int) lower bound (e.g. '1' for a 1-5 rating scale)
upperbound	(positive, int) upper bound (e.g. '5' for a 1-5 rating scale)
items	(positive, int) number of items in the rating scale. Default = 1
precision	(positive, real) can relax the level of accuracy required. (e.g. '1' generally generates a vector with moments correct within '0.025', '2' generally within '0.05') Default = 0

Value

a vector approximating user-specified conditions.

Examples

```
## six-item 1-7 rating scale
x <- lfast(
  n = 256,
  mean = 4.0,
  sd = 1.25,
  lowerbound = 1,
  upperbound = 7,
  items = 6
)

## four-item 1-5 rating scale with medium variation
x <- lfast(
  n = 128,
  mean = 3.0,
  sd = 1.00,
  lowerbound = 1,
  upperbound = 5,
  items = 4,
  precision = 5
)

## eleven-point 'likelihood of purchase' scale
x <- lfast(256, 3, 3.0, 0, 10)
```

makeCorrAlpha*Correlation matrix from Cronbach's Alpha***Description**

`makeCorrAlpha()` generates a random correlation matrix of given dimensions and predefined Cronbach's Alpha

Usage

```
makeCorrAlpha(items, alpha, variance = 0.5, precision = 0)
```

Arguments

<code>items</code>	(positive, int) matrix dimensions: number of rows & columns to generate
<code>alpha</code>	(real) target Cronbach's Alpha (usually positive, must be between -1 and +1)
<code>variance</code>	(positive, real) Default = 0.5. User-provided standard deviation of values sampled from a normally-distributed log transformation.
<code>precision</code>	(positive, real) Default = 0. User-defined value ranging from '0' to '3' to add some random variation around the target Cronbach's Alpha. '0' gives an exact alpha (to two decimal places)

Value

a correlation matrix

Note

Random values generated by `makeCorrAlpha()` are highly volatile. `makeCorrAlpha()` may not generate a feasible (positive-definite) correlation matrix, especially when

- variance is high relative to
 - desired Alpha, and
 - desired correlation dimensions

`makeCorrAlpha()` will inform the user if the resulting correlation matrix is positive definite, or not.

If the returned correlation matrix is not positive-definite, a feasible solution may still be possible. The user is encouraged to try again, possibly several times, to find one.

Examples

```
# define parameters
items <- 4
alpha <- 0.85
variance <- 0.5
```

```

# apply function
set.seed(42)
cor_matrix <- makeCorrAlpha(items = items, alpha = alpha, variance = variance)

# test function output
print(cor_matrix)
alpha(cor_matrix)
eigenvalues(cor_matrix, 1)

# higher alpha, more items
cor_matrix2 <- makeCorrAlpha(items = 8, alpha = 0.95)

# test output
cor_matrix2 |> round(2)
alpha(cor_matrix2) |> round(3)
eigenvalues(cor_matrix2, 1) |> round(3)

# large random variation around alpha
set.seed(42)
cor_matrix3 <- makeCorrAlpha(items = 6, alpha = 0.85, precision = 2)

# test output
cor_matrix3 |> round(2)
alpha(cor_matrix3) |> round(3)
eigenvalues(cor_matrix3, 1) |> round(3)

```

makeItems

Synthetic rating-scale data with given first and second moments and a predefined correlation matrix

Description

`makeItems()` generates a dataframe of random discrete values so the data replicate a rating scale, and are correlated close to a predefined correlation matrix.

`makeItems()` is wrapper function for:

- `lfast()`, generates a dataframe that best fits the desired moments, and
- `lcor()`, which rearranges values in each column of the dataframe so they closely match the desired correlation matrix.

Usage

```
makeItems(n, means, sds, lowerbound, upperbound, cormatrix)
```

Arguments

<code>n</code>	(positive, int) sample-size - number of observations
<code>means</code>	(real) target means: a vector of length k of mean values for each scale item
<code>sds</code>	(positive, real) target standard deviations: a vector of length k of standard deviation values for each scale item
<code>lowerbound</code>	(positive, int) a vector of length k (same as rows & columns of correlation matrix) of values for lower bound of each scale item (e.g. '1' for a 1-5 rating scale)
<code>upperbound</code>	(positive, int) a vector of length k (same as rows & columns of correlation matrix) of values for upper bound of each scale item (e.g. '5' for a 1-5 rating scale)
<code>cormatrix</code>	(real, matrix) the target correlation matrix: a square symmetric positive-semidefinite matrix of values ranging between -1 and +1, and '1' in the diagonal.

Value

a dataframe of rating-scale values

Examples

```
## define parameters

n <- 16
dfMeans <- c(2.5, 3.0, 3.0, 3.5)
dfSds <- c(1.0, 1.0, 1.5, 0.75)
lowerbound <- rep(1, 4)
upperbound <- rep(5, 4)

corMat <- matrix(
  c(
    1.00, 0.30, 0.40, 0.60,
    0.30, 1.00, 0.50, 0.70,
    0.40, 0.50, 1.00, 0.80,
    0.60, 0.70, 0.80, 1.00
  ),
  nrow = 4, ncol = 4
)

## apply function

df <- makeItems(
  n = n, means = dfMeans, sds = dfSds,
  lowerbound = lowerbound, upperbound = upperbound, cormatrix = corMat
)

## test function

str(df)

# means
apply(df, 2, mean) |> round(3)
```

```
# standard deviations
apply(df, 2, sd) |> round(3)

# correlations
cor(df) |> round(3)
```

makeItemsScale*scale items from a summated scale*

Description

`makeItemsScale()` generates a random dataframe of scale items based on a predefined summated scale, such as created by the `lfast()` function.

`scale, lowerbound, upperbound, items`

Usage

```
makeItemsScale(scale, lowerbound, upperbound, items, variance = 0.5)
```

Arguments

<code>scale</code>	(int) a vector or dataframe of the summated rating scale. Should range from ('lowerbound' * 'items') to ('upperbound' * 'items')
<code>lowerbound</code>	(int) lower bound of the scale item (example: '1' in a '1' to '5' rating)
<code>upperbound</code>	(int) upper bound of the scale item (example: '5' in a '1' to '5' rating)
<code>items</code>	(positive, int) k, or number of columns to generate
<code>variance</code>	(positive, real) standard deviation of values sampled from a normally-distributed log transformation. Default = '0.5'. A value of '0' makes all values in the correlation matrix the same, equal to the mean correlation needed to produce the desired <i>Cronbach's Alpha</i> . A value of '2', or more, risks producing a matrix that is not positive-definite, so not feasible.

Value

a dataframe with 'items' columns and 'length(scale)' rows

Examples

```
## define parameters
items <- 4
lowerbound <- 1
upperbound <- 5
```

```

## scale properties
n <- 64
mean <- 3.5
sd <- 1.00

## create scale
set.seed(42)
meanScale <- lfast(
  n = n, mean = mean, sd = sd,
  lowerbound = lowerbound, upperbound = upperbound,
  items = items
)
summatedScale <- meanScale * items

## create items
newItems <- makeItemsScale(
  scale = summatedScale,
  lowerbound = lowerbound, upperbound = upperbound,
  items = items
)
str(newItems)

##
## Testing Lowest value to Highest value of a scale
##
lowerbound <- 1
upperbound <- 5
items <- 6

# lowest to highest values
myvalues <- c((lowerbound * items):(upperbound * items))

## Low variance usually gives higher Cronbach's Alpha
mydat_20 <- makeItemsScale(
  scale = myvalues,
  lowerbound = lowerbound, upperbound = upperbound,
  items = items, variance = 0.20
)
str(mydat_20)

moments <- data.frame(
  means = apply(mydat_20, MARGIN = 2, FUN = mean) |> round(3),
  sds = apply(mydat_20, MARGIN = 2, FUN = sd) |> round(3)
) |> t()

moments

cor(mydat_20) |> round(2)
alpha(mydat_20) |> round(2)

## default variance

```

```
mydat_50 <- makeItemsScale(  
  scale = myvalues,  
  lowerbound = lowerbound, upperbound = upperbound,  
  items = items, variance = 0.50  
)  
  
str(mydat_50)  
  
moments <- data.frame(  
  means = apply(mydat_50, MARGIN = 2, FUN = mean) |> round(3),  
  sds = apply(mydat_50, MARGIN = 2, FUN = sd) |> round(3)  
) |> t()  
  
moments  
  
cor(mydat_50) |> round(2)  
alpha(mydat_50) |> round(2)  
  
## higher variance usually gives lower Cronbach's Alpha  
mydat_80 <- makeItemsScale(  
  scale = myvalues,  
  lowerbound = lowerbound, upperbound = upperbound,  
  items = items, variance = 0.80  
)  
  
str(mydat_80)  
  
moments <- data.frame(  
  means = apply(mydat_80, MARGIN = 2, FUN = mean) |> round(3),  
  sds = apply(mydat_80, MARGIN = 2, FUN = sd) |> round(3)  
) |> t()  
  
moments  
  
cor(mydat_80) |> round(2)  
alpha(mydat_80) |> round(2)
```

Index

alpha, 2
correlateScales, 3
eigenvalues, 5
lcor, 6
lexact, 7
lfast, 8
makeCorrAlpha, 10
makeItems, 11
makeItemsScale, 13